



Accréditation  
N° 5-0014  
Portée  
disponible sur  
www.cofrac.fr



Ref. Certif. No.

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC

## CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC

Product  
Produit

SOCKET-OUTLET

Name and address of the applicant  
Nom et adresse du demandeur

**LEGRAND FRANCE**  
128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045 LIMOGES  
CEDEX - France

Name and address of the manufacturer  
Nom et adresse du fabricant

**LEGRAND FRANCE**  
128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045 LIMOGES  
CEDEX - France

Name and address of the factory  
Nom et adresse de l'usine

See annex 1

Note : When more than one factory, please report on page 2  
Note : Lorsqu'il y a plus d'une usine, veuillez utiliser la 2ème page

Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

16A , 250V~ , 2P+E, flush-type  
see annex 2

Trademark (if any)  
Marque de fabrique (si elle existe)

LEGRAND

Model / Type Ref  
Ref. De type

Series PLEXO  
References : see annex 2

Additional information (if necessary may also be  
reported on page 2)  
Informations complémentaires (si nécessaire, peuvent  
être indiquées sur la 2ème page)

Supersedes CBTC FR60039319N  
M1 : addition amendment A1 of the standard, a new factory and new  
product references.

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

PUBLICATION EDITION  
IEC 60884-1:2002 (third edition) +A1:2006

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

60039319-539295, 78565-567410

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme National de Certification




**Laboratoire Central des Industries Électriques**  
33, av du Général Leclerc – BP 8  
FR 92266 Fontenay-aux-Roses cedex  
www.lcie.fr

Date: 2008-06-04

Signature:

Jean-François BRUEL  
Certification Officer





Accréditation  
N° 5-0014  
Portée  
disponible sur  
[www.cofrac.fr](http://www.cofrac.fr)



Ref. Certif. No.

ES 60062-001-01

## Annex 1 : List of Manufacturers and Factories


### SOCKET-OUTLET

| Factory                                                                                                           | Manufacturer                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>LEGRAND FRANCE</b><br>128, avenue du Maréchal de Lattre de Tassigny B.P. 523 -<br>87045 LIMOGES CEDEX - FRANCE | <b>LEGRAND FRANCE</b><br>128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045<br>LIMOGES CEDEX - FRANCE |
| <b>LEGRAND MAGYARORSZAG VILLAMOSSAGI<br/>RENDSZEREK RT</b><br>Ipartelep ut 14 pf 10 - 6600 SZENTES - HUNGARY      | <b>LEGRAND FRANCE</b><br>128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045<br>LIMOGES CEDEX - FRANCE |
| <b>CAPIROM</b><br>Nr 180, 417515 Santandrei - Jud. Bihor - ROMANIA                                                | <b>LEGRAND FRANCE</b><br>128, avenue du Maréchal de Lattre de Tassigny B.P. 523 - 87045<br>LIMOGES CEDEX - FRANCE |

Additional Information (if necessary)  
Informations complémentaires (si nécessaire)



**Laboratoire Central des Industries Électriques**  
33, av du Général Leclerc – BP 8  
FR 92266 Fontenay-aux-Roses cedex  
[www.lcie.fr](http://www.lcie.fr)



Date: 2008-06-04

Signature:

Jean-François BRUEL  
Certification Officer



Accréditation  
N° 5-0014  
Portée  
disponible sur  
www.cofrac.fr



Ref. Certif. No.

## Annex 2

### REFERENCES AND TECHNICAL CHARACTERISTICS SERIES PLEXO

| Type<br>reference | Reference  |       |                     |       |       |       | Designation                                                     |
|-------------------|------------|-------|---------------------|-------|-------|-------|-----------------------------------------------------------------|
|                   | Composable |       | Complete<br>product |       | Frame |       |                                                                 |
|                   | grey       | white | grey                | white | grey  | white |                                                                 |
| TSA               | 69570      | 69640 |                     |       |       |       | 2P+E Screwless type terminals                                   |
| TSA               | 69573      |       |                     |       |       |       | 2P+E Screwless type terminals / lock with identical key         |
| TSA               | 69574      |       |                     |       |       |       | 2P+E Screwless type terminals / lock with different key         |
| TSV               | 69571      | 69639 | 69833               | 69869 |       |       | 2P+E Screw type terminals                                       |
| TSV               |            |       | 69834               | 69868 |       |       | 2P+E Screw type terminals with claws                            |
| TSA2H             | 69576      |       |                     |       |       |       | 2P+E Screwless type terminals two gang horizontal, pre-wired    |
| TSA2V             | 69577      |       |                     |       |       |       | 2P+E Screwless type terminals, two gang vertical, pre-wired     |
| TSA3H             | 69578      |       |                     |       |       |       | 2P+E Screwless type terminals, three gang horizontal, pre-wired |
|                   |            |       |                     |       | 69681 | 69692 | 1 Gang without claw                                             |
|                   |            |       |                     |       | 69685 | 69696 | 2 Gang vertical without claw                                    |
|                   |            |       |                     |       | 69683 | 69694 | 2 Gang horizontal without claw                                  |
|                   |            |       |                     |       | 69687 | 69698 | 3 Gang horizontal without claw                                  |
|                   |            |       |                     |       | 69682 | 69693 | 1 Gang with claws                                               |
|                   |            |       |                     |       | 69686 | 69697 | 2 Gang vertical with claws                                      |
|                   |            |       |                     |       | 69684 | 69695 | 2 Gang horizontal with claws                                    |
|                   |            |       |                     |       | 69688 | 69699 | 3 Gang horizontal with claws                                    |


### CLASSIFICATION

|                                             |                                                  |
|---------------------------------------------|--------------------------------------------------|
| standard Sheet:                             | III (CEE 7)                                      |
| rated current (A)                           | 16A                                              |
| rated voltage (V)                           | 250V                                             |
| degree of protection                        | IP55                                             |
| provision for earthing                      | with earthing contact                            |
| method of connecting the cable              | rewirable                                        |
| type of terminals                           | screw type - screwless type (rigid and flexible) |
| degree of protection against electric shock | increased protection                             |
| existence of shutters                       | with shutters                                    |
| method of application - mounting            | flush-type                                       |
| method of installation                      | design A                                         |

Additional Information (if necessary)  
Informations complémentaires (si nécessaire)



**Laboratoire Central des Industries Électriques**  
33, av du Général Leclerc – BP 8  
FR 92266 Fontenay-aux-Roses cedex  
www.lcie.fr



Date: 2008-06-04

Signature:

Jean-François BRUEL  
Certification Officer